

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK
(Land Document, 7/12 Extracts, Title Verification dead Building Approved Final plan by
Corporation/Municipal Council Hospital College Architect Certified Rooms sizes (Dimensions)
Constructed Area – College Hospital, Hostel, Accommodation)

INFRASTRUCTURE

Sr. No	Particulars to be verified	Details on College Website	Adequate/ Inadequate
College			
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Total constructed area of college building		
	(I) Administrative Section: Total Area 2080.44 sq.ft (which includes) Principal Room, P.A. Room, Reception cue Visitors lounge, Meeting hall, Account section, Record and Central store etc.	Yes	Adequate
	(II) Lecture Halls: a) Total No. of Lecture Halls .2 b) IT enabled, Audio / Video teaching Aids c) Total area for lecture Halls 80 Sq. mtr	Yes	Adequate
	(III) Seminar or Conference or Examination Hall: a) Total Area . . . 3389.34 . .Sq.ft. b) Total Seating Capacity 400 c) Audio / Video System and Other Facilities	Yes	Adequate
	(IV) Central Library: a) Total Area : . 2723.27. sq.ft. Total No. of Books 5282. Distribution of books . . .60 . Capacity of Reading Hall :- 100 for Students . . .60 for Teachers . 40 . . . No. of Scientific Journals .8 . . No. of News Papers . 3 . . Photo Copier Machine . . . 1 Drinking water & Washrooms. .	Yes	Adequate
	b) Digital Library : No. of Computers . 10 Internet Facility . . . yes . .		
	(V) Teaching Departments:		
	There shall be fourteen Teaching Departments as per MSR No. of departments 7 Departmental Area, No. of Books/ Charts / Models / Spacimens (dry and wet) / Museum in each department information to be uploaded on college website.	Yes	Adequate

	(VI) Teaching Pharmacy and Quality Testing Laboratory as per MSR	Yes	Adequate
	(VIII) Common Rooms: Separate common rooms for boys and girls with adequate space and sitting arrangement shall be available.	Yes	Adequate
4	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	-	-
5	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility, Is there any LMS (learning management system software) available	Yes	Adequate
6	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Canteen Facility, Warden/ Rector, Hygiene, Vending Machine etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
Hospital			
7	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : MATOSHRI AYURVED HOSPITAL	yes	Adequate
	Address:Eklahare,Near Odhagaon,Nashik-Aurangabad Highway Nashik		
	Telephone No. : 02532406657		
	Bed Strength :	Yes	Adequate
	Distance of Hospital from the College to which it is attached (in kms)	-	
	Number of beds registered as per BNH Act	60	Adequate
8	I. Total constructed area of Hospital Building as per MSR (...2302.89...Sq.mtr.) Whether the Hospital is Owned by the College	Yes	Adequate
		Yes	Adequate
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes	Adequate
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD Complex 3330.24624Sq.ft. No. of OPD's ...7.... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD Complex ...Sq.ft. No. of IPD Departments.....12.... Bed Distribution...60... Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	V. Operation Theatres Block as per MSR Total Area of OT Block 2700.77276 sq.ft. No.of OTs available .3 Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	VI. Panchakarma Block as per MSR Total area of Panchakarma Block...2543.08Sq.ft. No. of Panchakarma section for Male ...6.....& Female 6 Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate

VII. Casualty Facilities State Government Permission Letter	Yes	Adequate
VII. Physiotherapy Unit as per MSR	Yes	Adequate
IX. Central Clinical Laboratory: Well-equipped with separate sections for Pathology, Biochemistry and Micro-biology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be provided.	Yes	Adequate
VIII. Radiology or Sonography Section: Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Adequate
IX. Labour Room :	Yes	Adequate
X. Hospital Kitchen and Canteen:	Yes	Adequate
XI. Stores/Mortuary:	Yes	Adequate


Principal
 Matoshri Ayurvedic College
 Kharane, Tal. Dist. Nashik
Dean/ Principal Stamp & Signature